

Result summary

Breedplaatvloer 70mm CEM III 52,5 N (ei3.6)

Geelen Beton Wanssum B.V.

Calculation number:	ReTHiNK-130466
Generation on:	19-12-2025
Issue date:	19-12-2025
Valid until:	19-12-2030
Status:	verified

R<THiNK



1 General information

1.1 PRODUCT

Breedplaatvloer 70mm CEM III 52,5 N (ei3.6)

1.2 VALIDITY

Issue date: 19-12-2025

Valid until: 19-12-2030

1.3 OWNER OF THE DECLARATION



Declaration owner: Geelen Beton Wanssum B.V.

Address: Geijsterseweg 12A, 5861BL Wanssum

E-mail: info@geelen-beton.nl

Website: <https://www.geelen-beton.nl>


Production location: Geelen Beton Posterholt (ei3.6)

Address production location: Heerbaan 58, 6061EE Posterholt

1.4 VERIFICATION OF THE DECLARATION

The independent verification is in accordance with the ISO 14025:2011. The LCA is in compliance with ISO 14040:2006 and ISO 14044:2006. The EN 15804+A2:2019 serves as the core PCR.

☐ Internal ☒ External



Anne Kees Jeeninga, Advieslab

1.5 PRODUCT CATEGORY RULES

NMD Determination method Environmental performance Construction works v1.2 January 2025

1.6 FUNCTIONAL UNIT

m2 (Vloeren, constructief)

Één vierkante meter vloer, die minimaal voldoet aan de eisen van het Bouwbesluit. Druklaag, bijlegwapening, dekvloer, isolatie, bevestigingsmiddelen en afwerking zijn buiten beschouwing gelaten.

Reference unit: square meter (m2)

1.7 CONVERSION FACTORS

Description	Value	Unit
Reference unit	1	m2
Weight per reference unit	170.597	kg
Conversion factor to 1 kg	0.005862	m2

1.8 SCOPE OF DECLARATION AND SYSTEM BOUNDARIES

This is a Cradle to gate with options, modules C1-C4 and module D EPD. The life cycle stages included are as shown below:

(X = module included, ND = module not declared)

A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	---

1 General information

X	X	X	X	X	X	X	X	X	ND	ND	X	X	X	X	X	X	X
---	---	---	---	---	---	---	---	---	----	----	---	---	---	---	---	---	---

The modules of the EN 15804 contain the following:

Module A1 = Raw material supply	Module B5 = Refurbishment
Module A2 = Transport	Module B6 = Operational energy use
Module A3 = Manufacturing	Module B7 = Operational water use
Module A4 = Transport	Module C1 = De-construction / Demolition
Module A5 = Construction - Installation process	Module C2 = Transport
Module B1 = Use	Module C3 = Waste Processing
Module B2 = Maintenance	Module C4 = Disposal

Module B3 = Repair	Module D = Benefits and loads beyond the product system boundaries
Module B4 = Replacement	

1.9 COMPARABILITY

In principle, a comparison or assessment of the environmental impacts of different products is only possible if they have been prepared in accordance with EN 15804+A2:2019. For the evaluation of the comparability, the following aspects have to be considered in particular: PCR used, functional or declared unit, geographical reference, the definition of the system boundary, declared modules, data selection (primary or secondary data, background database, data quality), scenarios used for use and disposal phases, and the life cycle inventory (data collection, calculation methods, allocations, validity period). PCRs and general program instructions of different EPD program operators may differ. Comparability needs to be evaluated. For further guidance, see EN 15804+A2:2019 and ISO 14025.

2 Product

2.1 PRODUCT DESCRIPTION

Breedplaatvloeren zijn beschikbaar in de volgende diktes: 50/60/70/80/90/100 mm. Op de bouwplaats wordt doorgaans een druklaag (voorzien van bijlegwapening) op de breedplaatvloer gestort. Deze betonnen laag en de bijlegwapening maken géén deel uit van dit rapport. Standaard breedtes zijn 2400 mm en 3000 mm, voorzien van een vellingkant aan beide zijden. Pasplaten hebben één vellingkant en één ruwe zijkant. Overige standaarden:

- Druksterkteklasse: C30/37 (andere sterkteklasse mogelijk)
- Milieuklasse: XC1 (andere milieuklasse mogelijk)
- Wapeningstaal: B500B, bestaande uit een deel gerecycled staal (% afhankelijk van staalleveranciers)
- Tralieliggers tot een vloerhoogte van 300mm, respectievelijk 3 à 4 tralies per strekkende meter
- Lijnvormige kunststof afstandhouders
- Gasbetonblokjes (standaard maten) voor doorvoeren van leidingen
- Open sparingen in polystyreen
- Elektradozen en voorzieningen t.b.v. mechanische ventilatie

De breedplaatvloeren worden geleverd onder het KOMO-productcertificaat. Certificaten, gerelateerde documenten en reguliere productinformatie zijn beschikbaar via de Geelen Beton-website:


<https://www.geelen-beton.nl/product-kennis/breedplaatvloeren>

2.2 APPLICATION (INTENDED USE OF THE PRODUCT)

Breedplaatvloeren worden toegepast in vloeren, daken en soortgelijke constructies in de woning- en utiliteitsbouw. Op de bouwplaats wordt op de prefab schil doorgaans een druklaag incl. bijlegwapening aanbracht. De breedplaat tezamen met de druklaag zorgt voor de benodigde sterkte en stijfheid.

2.3 DESCRIPTION PRODUCTION PROCESS

De breedplaat worden deels in een carrouselstelsel en deels in een lange baan geproduceerd. Een plotter tekent de technische ontwerpen tot op enkele millimeters nauwkeurig af en plaatst bekisting op een stalen tafel. Wapening en andere voorzieningen, zoals elektrische installaties, worden aangebracht voordat het beton wordt gestort. De tafels in het carrouselstelsel worden vervolgens gestapeld in droogkamers voor het uithardingsproces. De vloeren in de lange baan drogen in de fabriekshal. Na het uitharden worden de breedplaatvloeren ontkist, gestapeld opgeslagen, met een elektrische kraan op de vrachtwagen geladen waarna deze naar de bouwplaats worden vervoerd.



2.4 CONSTRUCTION DESCRIPTION

De breedplaatvloeren worden met een kraan van de vrachtwagen getild en op de juiste positie gepositioneerd. Na aanbrengen van de benodigde bijlegwapening en voorzieningen wordt de druklaag op de vloer gestort.

2 Product



3 Results

3 Results

3.1 ENVIRONMENTAL IMPACT INDICATORS PER SQUARE METER (FIXED PART)

CORE ENVIRONMENTAL IMPACT INDICATORS EN 15804+A2

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
GWP-total	kg CO ₂ eq.	7.95E+0	6.04E-1	1.47E+0	1.00E+1	1.61E+0	4.15E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.23E+0	1.13E+0	4.47E-1	1.13E-2	-8.93E-1	1.40E+1
GWP-f	kg CO ₂ eq.	7.93E+0	6.03E-1	1.47E+0	1.00E+1	1.61E+0	4.14E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.23E+0	1.13E+0	4.46E-1	1.13E-2	-8.91E-1	1.40E+1
GWP-b	kg CO ₂ eq.	1.53E-2	2.39E-4	3.19E-3	1.87E-2	6.38E-4	2.34E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.23E-4	4.55E-4	4.48E-4	7.01E-6	-1.62E-3	1.91E-2
GWP-luluc	kg CO ₂ eq.	3.09E-3	1.76E-4	4.32E-4	3.70E-3	4.70E-4	7.52E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	9.71E-5	4.14E-4	6.41E-5	2.63E-6	-6.63E-4	4.16E-3
ODP	kg CFC 11 eq.	4.20E-7	1.42E-7	1.60E-7	7.22E-7	3.78E-7	8.32E-8	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.66E-7	2.49E-7	3.97E-8	3.81E-9	-8.33E-8	1.66E-6
AP	mol H ⁺ eq.	3.30E-2	2.54E-3	6.90E-3	4.24E-2	6.76E-3	1.77E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.29E-2	6.55E-3	1.73E-3	8.82E-5	-5.47E-3	6.67E-2
EP-fw	kg P eq.	1.71E-4	4.60E-6	5.00E-5	2.26E-4	1.23E-5	3.54E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.49E-6	1.14E-5	8.73E-6	1.06E-7	-2.95E-5	2.37E-4
EP-m	kg N eq.	7.14E-3	7.63E-4	2.31E-3	1.02E-2	2.03E-3	5.75E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	5.69E-3	2.31E-3	6.79E-4	3.11E-5	-1.52E-3	2.00E-2
EP-T	mol N eq.	8.93E-2	8.44E-3	2.58E-2	1.24E-1	2.25E-2	6.38E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.24E-2	2.55E-2	7.54E-3	3.34E-4	-1.76E-2	2.31E-1
POCP	kg NMVOC eq.	2.37E-2	2.71E-3	7.81E-3	3.43E-2	7.23E-3	1.74E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.72E-2	7.27E-3	2.05E-3	9.75E-5	-5.26E-3	6.46E-2
ADP-mm	kg Sb-eq.	1.18E-4	1.03E-5	1.41E-5	1.42E-4	2.75E-5	1.72E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.89E-6	2.86E-5	9.57E-7	8.54E-8	-9.31E-5	1.10E-4
ADP-f	MJ	8.00E+1	9.39E+0	1.98E+1	1.09E+2	2.50E+1	5.79E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.70E+1	1.70E+1	3.66E+0	2.59E-1	-1.09E+1	1.67E+2
WDP	m ³ world eq.	9.07E+0	3.05E-2	1.69E-1	9.27E+0	8.13E-2	5.75E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.27E-2	6.09E-2	2.51E-2	1.16E-2	-9.82E+0	-2.92E-1

GWP-total=Global Warming Potential total (GWP-total) | **GWP-f**=Global Warming Potential fossil fuels (GWP-fossil) | **GWP-b**=Global Warming Potential biogenic (GWP-biogenic) | **GWP-luluc**=Global Warming Potential land use and land use change (GWP-luluc) | **ODP**=Depletion potential of the stratospheric ozone layer (ODP) | **AP**=Acidification potential, Accumulated Exceedance (AP) | **EP-fw**=Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater) | **EP-m**=Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine) | **EP-T**=Eutrophication potential, Accumulated Exceedance (EP-terrestrial) | **POCP**=Formation potential of tropospheric ozone (POCP) | **ADP-mm**=Abiotic depletion potential for non fossil resources (ADP mm) | **ADP-f**=Abiotic depletion for fossil resources potential (ADP fossil) | **WDP**=Water (user) depreciation potential, deprivation-weighted water consumption (WDP)

3 Results

ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS EN 15804+A2

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
PM	disease incidence	2.88E-7	5.46E-8	1.20E-7	4.62E-7	1.46E-7	9.28E-9	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.42E-7	1.02E-7	3.70E-8	1.71E-9	-9.17E-8	1.01E-6
IR	kBq U235 eq.	4.10E-1	4.10E-2	5.67E-2	5.07E-1	1.09E-1	2.53E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	7.27E-2	7.14E-2	1.17E-2	1.06E-3	-3.32E-2	7.66E-1
ETP-fw	CTUe	9.29E+1	7.47E+0	1.85E+1	1.19E+2	1.99E+1	3.94E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.02E+1	1.52E+1	5.17E+0	1.82E-1	-1.81E+1	1.55E+2
HTP-c	CTUh	8.03E-9	1.84E-10	5.33E-10	8.74E-9	4.91E-10	6.55E-10	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.57E-10	4.93E-10	1.01E-10	3.95E-12	-5.49E-10	1.03E-8
HTP-nc	CTUh	1.24E-7	8.50E-9	1.50E-8	1.48E-7	2.27E-8	6.08E-9	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	8.78E-9	1.66E-8	2.63E-9	1.23E-10	6.45E-9	2.11E-7
SQP	Pt	2.34E+1	1.08E+1	3.54E+0	3.77E+1	2.87E+1	1.10E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.16E+0	1.48E+1	6.29E-1	5.45E-1	-1.12E+1	7.43E+1

PM=Potential incidence of disease due to PM emissions (PM) | **IR**=Potential Human exposure efficiency relative to U235 (IRP) | **ETP-fw**=Potential Comparative Toxic Unit for ecosystems (ETP-fw) | **HTP-c**=Potential Comparative Toxic Unit for humans (HTP-c) | **HTP-nc**=Potential Comparative Toxic Unit for humans (HTP-nc) | **SQP**=Potential soil quality index (SQP)

CLASSIFICATION OF DISCLAIMERS TO THE DECLARATION OF CORE AND ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS

ILCD classification	Indicator	Disclaimer
ILCD type / level 1	Global warming potential (GWP)	None
	Depletion potential of the stratospheric ozone layer (ODP)	None
	Potential incidence of disease due to PM emissions (PM)	None
ILCD type / level 2	Acidification potential, Accumulated Exceedance (AP)	None
	Eutrophication potential, Fraction of nutrients reaching freshwater end compartment (EP-freshwater)	None
	Eutrophication potential, Fraction of nutrients reaching marine end compartment (EP-marine)	None
	Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	None
	Formation potential of tropospheric ozone (POCP)	None
	Potential Human exposure efficiency relative to U235 (IRP)	1
ILCD type / level 3	Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	2
	Abiotic depletion potential for fossil resources (ADP-fossil)	2
	Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	2
	Potential Comparative Toxic Unit for ecosystems (ETP-fw)	2

3 Results

ILCD classification	Indicator	Disclaimer
	Potential Comparative Toxic Unit for humans (HTP-c)	2
	Potential Comparative Toxic Unit for humans (HTP-nc)	2
	Potential Soil quality index (SQP)	2
Disclaimer 1 – This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.		
Disclaimer 2 – The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.		

CORE ENVIRONMENTAL IMPACT INDICATORS EN15804+A1

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
ADPE	kg Sb eq.	1.18E-4	1.03E-5	1.41E-5	1.42E-4	2.75E-5	1.72E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.89E-6	2.86E-5	9.57E-7	8.54E-8	-9.31E-5	1.10E-4
GWP	kg CO ₂ eq.	7.82E+0	5.98E-1	1.45E+0	9.87E+0	1.60E+0	4.12E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.22E+0	1.12E+0	4.43E-1	1.08E-2	-8.66E-1	1.38E+1
ODP	kg CFC11 eq.	4.65E-7	1.13E-7	1.38E-7	7.16E-7	3.02E-7	6.71E-8	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.11E-7	1.99E-7	3.40E-8	3.03E-9	-7.28E-8	1.46E-6
POCP	kg ethene eq.	3.38E-3	3.75E-4	1.08E-3	4.84E-3	1.00E-3	1.40E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.24E-3	6.76E-4	1.54E-4	9.98E-6	-7.33E-4	7.33E-3
AP	kg SO ₂ eq.	2.59E-2	1.96E-3	5.20E-3	3.31E-2	5.24E-3	1.35E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	9.19E-3	4.92E-3	1.26E-3	6.67E-5	-4.22E-3	5.09E-2
EP	Kg PO43- eq.	4.64E-3	3.63E-4	1.05E-3	6.05E-3	9.68E-4	2.61E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.09E-3	9.68E-4	2.78E-4	1.32E-5	-6.70E-4	9.96E-3

ADPE=Depletion of abiotic resources-elements | **GWP**=Global warming | **ODP**=Ozone layer depletion | **POCP**=Photochemical oxidants creation | **AP**=Acidification of soil and water | **EP**=Eutrophication

NATIONAL ANNEX NMD

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
ADPF	kg Sb eq.	3.23E-2	4.46E-3	1.03E-2	4.70E-2	1.19E-2	2.71E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	8.04E-3	8.24E-3	1.91E-3	1.24E-4	-6.02E-3	7.39E-2
HTP	kg 1,4 DB eq.	1.81E+0	2.84E-1	3.40E-1	2.43E+0	7.58E-1	1.24E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.51E-1	4.72E-1	7.36E-2	4.19E-3	-3.80E-1	3.93E+0

ADPF=Depletion of abiotic resources-fossil fuels | **HTP**=Human toxicity | **FAETP**=Ecotoxicity. fresh water | **MAETP**=Ecotoxicity. marine water | **TETP**=Ecotoxicity. terrestric

3 Results

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
FAETP	kg 1,4 DB eq.	3.61E-2	7.73E-3	8.03E-3	5.19E-2	2.06E-2	2.48E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.28E-3	1.38E-2	1.74E-3	1.86E-4	-4.18E-3	9.27E-2
MAETP	kg 1,4 DB eq.	2.89E+2	3.03E+1	2.78E+1	3.47E+2	8.08E+1	9.16E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.19E+1	4.95E+1	5.98E+0	4.37E-1	-1.97E+1	4.95E+2
TETP	kg 1,4 DB eq.	1.40E-2	9.14E-4	5.02E-3	2.00E-2	2.44E-3	1.15E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	7.43E-4	1.67E-3	7.88E-4	1.05E-5	3.72E-3	3.05E-2

ADPF=Depletion of abiotic resources-fossil fuels | **HTP**=Human toxicity | **FAETP**=Ecotoxicity, fresh water | **MAETP**=Ecotoxicity, marine water | **TETP**=Ecotoxicity, terrestrial

3.2 ENVIRONMENTAL IMPACT INDICATORS PER SQUARE METER (SCALABLE PART)

CORE ENVIRONMENTAL IMPACT INDICATORS EN 15804+A2

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
GWP-total	kg CO ₂ eq.	3.14E+0	8.64E-2	2.39E-2	3.25E+0	4.95E-2	1.67E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.61E-2	0.00E+0	1.34E-3	-4.53E-1	2.90E+0
GWP-f	kg CO ₂ eq.	3.15E+0	8.63E-2	2.40E-2	3.26E+0	4.95E-2	1.68E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.61E-2	0.00E+0	1.34E-3	-4.54E-1	2.91E+0
GWP-b	kg CO ₂ eq.	6.59E-1	3.42E-5	5.60E-3	6.64E-1	1.96E-5	3.32E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.45E-5	0.00E+0	8.47E-7	6.77E-4	6.68E-1
GWP-luluc	kg CO ₂ eq.	1.29E-2	2.52E-5	1.13E-4	1.30E-2	1.45E-5	6.52E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.32E-5	0.00E+0	3.74E-7	3.35E-4	1.34E-2
ODP	kg CFC 11 eq.	3.89E-7	2.03E-8	3.46E-9	4.13E-7	1.16E-8	2.17E-9	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	7.96E-9	0.00E+0	5.52E-10	-1.11E-8	4.24E-7
AP	mol H ⁺ eq.	1.61E-2	3.63E-4	1.27E-4	1.66E-2	2.08E-4	8.53E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.09E-4	0.00E+0	1.27E-5	-1.75E-3	1.54E-2
EP-fw	kg P eq.	2.88E-4	6.58E-7	2.32E-6	2.91E-4	3.78E-7	1.46E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.64E-7	0.00E+0	1.50E-8	-1.60E-5	2.77E-4

GWP-total=Global Warming Potential total (GWP-total) | **GWP-f**=Global Warming Potential fossil fuels (GWP-fossil) | **GWP-b**=Global Warming Potential biogenic (GWP-biogenic) | **GWP-luluc**=Global Warming Potential land use and land use change (GWP-luluc) | **ODP**=Depletion potential of the stratospheric ozone layer (ODP) | **AP**=Acidification potential, Accumulated Exceedance (AP) | **EP-fw**=Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater) | **EP-m**=Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine) | **EP-T**=Eutrophication potential, Accumulated Exceedance (EP-terrestrial) | **POCP**=Formation potential of tropospheric ozone (POCP) | **ADP-mm**=Abiotic depletion potential for non fossil resources (ADP mm) | **ADP-f**=Abiotic depletion for fossil resources potential (ADP fossil) | **WDP**=Water (user) deprivation potential, deprivation-weighted water consumption (WDP)

3 Results

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
EP-m	kg N eq.	3.57E-3	1.09E-4	2.92E-5	3.71E-3	6.26E-5	1.92E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	7.37E-5	0.00E+0	4.38E-6	-3.25E-4	3.54E-3
EP-T	mol N eq.	3.92E-2	1.21E-3	3.18E-4	4.07E-2	6.92E-4	2.11E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	8.13E-4	0.00E+0	4.82E-5	-3.79E-3	3.87E-2
POCP	kg NMVOC eq.	1.31E-2	3.88E-4	9.47E-5	1.36E-2	2.22E-4	7.02E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.32E-4	0.00E+0	1.40E-5	-2.58E-3	1.15E-2
ADP-mm	kg Sb-eq.	3.11E-3	1.47E-6	2.65E-5	3.14E-3	8.44E-7	1.57E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	9.14E-7	0.00E+0	1.23E-8	-3.06E-7	3.16E-3
ADP-f	MJ	6.35E+1	1.34E+0	5.29E-1	6.53E+1	7.70E-1	3.34E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	5.44E-1	0.00E+0	3.75E-2	-3.17E+0	6.39E+1
WDP	m3 world eq.	1.80E+0	4.36E-3	1.46E-2	1.82E+0	2.50E-3	9.12E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.95E-3	0.00E+0	1.68E-3	-8.65E-2	1.75E+0

GWP-total=Global Warming Potential total (GWP-total) | **GWP-f**=Global Warming Potential fossil fuels (GWP-fossil) | **GWP-b**=Global Warming Potential biogenic (GWP-biogenic) | **GWP-luluc**=Global Warming Potential land use and land use change (GWP-luluc) | **ODP**=Depletion potential of the stratospheric ozone layer (ODP) | **AP**=Acidification potential, Accumulated Exceedance (AP) | **EP-fw**=Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater) | **EP-m**=Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine) | **EP-T**=Eutrophication potential, Accumulated Exceedance (EP-terrestrial) | **POCP**=Formation potential of tropospheric ozone (POCP) | **ADP-mm**=Abiotic depletion potential for non fossil resources (ADP mm) | **ADP-f**=Abiotic depletion for fossil resources potential (ADP fossil) | **WDP**=Water (user) depreciation potential, deprivation-weighted water consumption (WDP)

ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS EN 15804+A2

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
PM	disease incidence	4.35E-7	7.81E-9	3.57E-9	4.46E-7	4.48E-9	2.27E-9	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.24E-9	0.00E+0	2.47E-10	-2.63E-8	4.30E-7
IR	kBq U235 eq.	3.51E-1	5.87E-3	3.12E-3	3.60E-1	3.36E-3	1.83E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.28E-3	0.00E+0	1.54E-4	7.75E-3	3.75E-1
ETP-fw	CTUe	9.15E+1	1.07E+0	6.63E-1	9.33E+1	6.13E-1	4.73E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.85E-1	0.00E+0	2.43E-2	-1.52E+1	7.97E+1
HTP-c	CTUh	4.74E-8	2.64E-11	4.03E-10	4.78E-8	1.51E-11	2.39E-10	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.57E-11	0.00E+0	5.62E-13	-5.87E-11	4.81E-8
HTP-nc	CTUh	1.30E-6	1.22E-9	1.18E-8	1.32E-6	6.98E-10	6.59E-9	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	5.31E-10	0.00E+0	1.73E-11	8.79E-8	1.41E-6

PM=Potential incidence of disease due to PM emissions (PM) | **IR**=Potential Human exposure efficiency relative to U235 (IRP) | **ETP-fw**=Potential Comparative Toxic Unit for ecosystems (ETP-fw) | **HTP-c**=Potential Comparative Toxic Unit for humans (HTP-c) | **HTP-nc**=Potential Comparative Toxic Unit for humans (HTP-nc) | **SQP**=Potential soil quality index (SQP)

3 Results

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
SQP	Pt	2.00E+1	1.54E+0	1.82E-1	2.17E+1	8.82E-1	1.16E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.72E-1	0.00E+0	7.86E-2	-7.00E-1	2.26E+1

PM=Potential incidence of disease due to PM emissions (PM) | **IR**=Potential Human exposure efficiency relative to U235 (IRP) | **ETP-fw**=Potential Comparative Toxic Unit for ecosystems (ETP-fw) | **HTP-c**=Potential Comparative Toxic Unit for humans (HTP-c) | **HTP-nc**=Potential Comparative Toxic Unit for humans (HTP-nc) | **SQP**=Potential soil quality index (SQP)

CLASSIFICATION OF DISCLAIMERS TO THE DECLARATION OF CORE AND ADDITIONAL ENVIRONMENTAL IMPACT INDICATORS

ILCD classification	Indicator	Disclaimer
ILCD type / level 1	Global warming potential (GWP)	None
	Depletion potential of the stratospheric ozone layer (ODP)	None
	Potential incidence of disease due to PM emissions (PM)	None
ILCD type / level 2	Acidification potential, Accumulated Exceedance (AP)	None
	Eutrophication potential, Fraction of nutrients reaching freshwater end compartment (EP-freshwater)	None
	Eutrophication potential, Fraction of nutrients reaching marine end compartment (EP-marine)	None
	Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	None
	Formation potential of tropospheric ozone (POCP)	None
	Potential Human exposure efficiency relative to U235 (IRP)	1
	Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	2
ILCD type / level 3	Abiotic depletion potential for fossil resources (ADP-fossil)	2
	Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	2
	Potential Comparative Toxic Unit for ecosystems (ETP-fw)	2
	Potential Comparative Toxic Unit for humans (HTP-c)	2
	Potential Comparative Toxic Unit for humans (HTP-nc)	2
	Potential Soil quality index (SQP)	2

Disclaimer 1 – This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

Disclaimer 2 – The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.

3 Results

CORE ENVIRONMENTAL IMPACT INDICATORS EN15804+A1

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
ADPE	kg Sb eq.	7.28E-5	1.47E-6	6.36E-7	7.49E-5	8.44E-7	3.83E-7	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	9.14E-7	0.00E+0	1.23E-8	-3.06E-7	7.67E-5
GWP	kg CO ₂ eq.	4.34E+0	8.56E-2	3.44E-2	4.46E+0	4.91E-2	2.28E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.58E-2	0.00E+0	1.32E-3	-4.23E-1	4.15E+0
ODP	kg CFC 11 eq.	4.58E-7	1.62E-8	3.97E-9	4.78E-7	9.28E-9	2.47E-9	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.34E-9	0.00E+0	4.38E-10	-1.47E-8	4.82E-7
POCP	kg ethene eq.	4.13E-3	5.37E-5	2.80E-5	4.21E-3	3.08E-5	2.14E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.16E-5	0.00E+0	1.40E-6	-9.20E-4	3.37E-3
AP	kg SO ₂ eq.	1.92E-2	2.81E-4	1.55E-4	1.96E-2	1.61E-4	9.97E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.57E-4	0.00E+0	9.62E-6	-1.43E-3	1.86E-2
EP	Kg PO43- eq.	3.39E-3	5.19E-5	2.81E-5	3.47E-3	2.98E-5	1.76E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.09E-5	0.00E+0	1.86E-6	-1.70E-4	3.38E-3

ADPE=Depletion of abiotic resources-elements | **GWP**=Global warming | **ODP**=Ozone layer depletion | **POCP**=Photochemical oxidants creation | **AP**=Acidification of soil and water | **EP**=Eutrophication

NATIONAL ANNEX NMD

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
ADPF	kg Sb eq.	3.21E-2	6.37E-4	2.59E-4	3.30E-2	3.65E-4	1.69E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.63E-4	0.00E+0	1.79E-5	-2.61E-3	3.12E-2
HTP	kg 1,4 DB eq.	2.53E+0	4.06E-2	1.97E-2	2.59E+0	2.33E-2	1.32E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.51E-2	0.00E+0	5.95E-4	-2.64E-1	2.38E+0
FAETP	kg 1,4 DB eq.	1.21E-1	1.11E-3	1.07E-3	1.23E-1	6.34E-4	6.19E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.40E-4	0.00E+0	1.41E-5	3.28E-3	1.28E-1
MAETP	kg 1,4 DB eq.	2.61E+2	4.33E+0	2.29E+0	2.67E+2	2.48E+0	1.36E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.58E+0	0.00E+0	5.04E-2	2.74E+0	2.76E+2
TETP	kg 1,4 DB eq.	2.69E-1	1.31E-4	2.47E-3	2.71E-1	7.50E-5	1.36E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	5.32E-5	0.00E+0	1.49E-6	2.21E-2	2.95E-1

ADPF=Depletion of abiotic resources-fossil fuels | **HTP**=Human toxicity | **FAETP**=Ecotoxicity. fresh water | **MAETP**=Ecotoxicity. marine water | **TETP**=Ecotoxicity. terrestrial

3 Results

3.3 ENVIRONMENTAL IMPACT INDICATORS PER SQUARE METER (FIXED PART)

PARAMETERS DESCRIBING RESOURCE USE

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
PERE	MJ	4.32E+0	1.18E-1	3.44E+0	7.88E+0	3.15E-1	1.00E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	9.17E-2	2.13E-1	2.15E-1	2.14E-3	-5.76E-1	8.24E+0
PERM	MJ	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0
PERT	MJ	4.32E+0	1.18E-1	3.44E+0	7.88E+0	3.15E-1	1.00E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	9.17E-2	2.13E-1	2.15E-1	2.14E-3	-5.76E-1	8.24E+0
PENRE	MJ	8.13E+1	9.97E+0	1.99E+1	1.11E+2	2.66E+1	6.13E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.80E+1	1.81E+1	3.90E+0	2.75E-1	-1.16E+1	1.72E+2
PENRM	MJ	2.81E+0	0.00E+0	1.35E+0	4.17E+0	0.00E+0	2.22E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	-1.41E-3	4.19E+0
PENRT	MJ	8.41E+1	9.97E+0	2.12E+1	1.15E+2	2.66E+1	6.15E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.80E+1	1.81E+1	3.90E+0	2.75E-1	-1.16E+1	1.77E+2
SM	Kg	2.07E+0	0.00E+0	1.74E-2	2.09E+0	0.00E+0	1.04E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.10E+0
RSF	MJ	5.26E+0	0.00E+0	4.02E-2	5.30E+0	0.00E+0	2.65E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	5.33E+0
NRSF	MJ	9.80E+0	0.00E+0	7.49E-2	9.88E+0	0.00E+0	4.94E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	9.93E+0
FW	m³	2.30E-1	1.07E-3	8.81E-3	2.40E-1	2.85E-3	1.63E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	8.73E-4	2.08E-3	1.45E-3	2.77E-4	-2.30E-1	1.91E-2

PERE=Use of renewable primary energy excluding renewable primary energy resources used as raw materials | **PERM**=Use of renewable primary energy resources used as raw materials | **PERT**=Total use of renewable primary energy resources | **PENRE**=Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | **PENRM**=Use of non-renewable primary energy resources used as raw materials | **PENRT**=Total use of non-renewable primary energy resources | **SM**=Use of secondary material | **RSF**=Use of renewable secondary fuels | **NRSF**=Use of non-renewable secondary fuels | **FW**=Net use of fresh water

OTHER ENVIRONMENTAL INFORMATION DESCRIBING WASTE CATEGORIES

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
HWD	Kg	2.60E-3	2.28E-5	2.61E-2	2.87E-2	6.07E-5	1.57E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.62E-5	4.32E-5	6.40E-6	3.87E-7	-4.02E-5	2.90E-2
NHWD	Kg	4.95E-1	8.16E-1	1.04E-1	1.42E+0	2.18E+0	4.73E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.01E-2	1.08E+0	5.64E-1	1.75E+0	-1.04E-1	6.95E+0
RWD	Kg	4.13E-4	6.41E-5	7.34E-5	5.50E-4	1.71E-4	3.84E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.18E-4	1.12E-4	1.63E-5	1.70E-6	-3.76E-5	9.70E-4

HWD=Hazardous waste disposed | **NHWD**=Non-hazardous waste disposed | **RWD**=Radioactive waste disposed

3 Results

ENVIRONMENTAL INFORMATION DESCRIBING OUTPUT FLOWS

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
CRU	Kg	0.00E+0	0.00E+0	2.58E-5	2.58E-5	0.00E+0	4.43E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	8.60E-4	0.00E+0	0.00E+0	8.90E-4
MFR	Kg	3.37E-1	0.00E+0	1.18E+0	1.52E+0	0.00E+0	8.26E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.64E+2	0.00E+0	0.00E+0	1.66E+2
MER	Kg	0.00E+0	0.00E+0	2.15E-6	2.15E-6	0.00E+0	1.07E-8	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.16E-6
EE	MJ	0.00E+0	0.00E+0	1.28E+0	1.28E+0	0.00E+0	1.98E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.22E+0	3.50E+0
EET	MJ	0.00E+0	0.00E+0	4.04E-1	4.04E-1	0.00E+0	1.25E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	7.02E-1	1.11E+0
EEE	MJ	0.00E+0	0.00E+0	2.35E-1	2.35E-1	0.00E+0	7.28E-7	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.08E-1	6.42E-1

CRU=Components for re-use | MFR=Materials for recycling | MER=Materials for energy recovery | EE=Exported energy | EET=Exported Energy, Thermic | EEE=Exported Energy, Electric

3.4 ENVIRONMENTAL IMPACT INDICATORS PER SQUARE METER (SCALABLE PART)

PARAMETERS DESCRIBING RESOURCE USE

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
PERE	MJ	4.18E+0	1.69E-2	3.65E-2	4.24E+0	9.69E-3	2.13E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.81E-3	0.00E+0	3.03E-4	9.20E-2	4.37E+0
PERM	MJ	2.46E-3	0.00E+0	2.10E-5	2.49E-3	0.00E+0	1.24E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	2.50E-3
PERT	MJ	4.63E+0	1.69E-2	4.04E-2	4.69E+0	9.69E-3	2.35E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.81E-3	0.00E+0	3.03E-4	9.20E-2	4.82E+0
PENRE	MJ	6.32E+1	1.43E+0	5.27E-1	6.52E+1	8.17E-1	3.33E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	5.77E-1	0.00E+0	3.98E-2	-3.29E+0	6.36E+1
PENRM	MJ	7.10E-3	0.00E+0	6.03E-5	7.16E-3	0.00E+0	3.58E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	7.20E-3
PENRT	MJ	6.44E+1	1.43E+0	5.37E-1	6.63E+1	8.17E-1	3.39E-1	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	5.77E-1	0.00E+0	3.98E-2	-3.29E+0	6.48E+1
SM	Kg	4.56E+0	0.00E+0	3.87E-2	4.60E+0	0.00E+0	2.30E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.62E+0

PERE=Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERM=Use of renewable primary energy resources used as raw materials | PERT=Total use of renewable primary energy resources | PENRE=Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRM=Use of non-renewable primary energy resources used as raw materials | PENRT=Total use of non-renewable primary energy resources | SM=Use of secondary material | RSF=Use of renewable secondary fuels | NRSF=Use of non-renewable secondary fuels | FW=Net use of fresh water

3 Results

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
RSF	MJ	1.87E-3	0.00E+0	1.59E-5	1.88E-3	0.00E+0	9.41E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.89E-3
NRSF	MJ	6.25E-3	0.00E+0	5.31E-5	6.30E-3	0.00E+0	3.15E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.33E-3
FW	m ³	5.41E-2	1.53E-4	4.48E-4	5.47E-2	8.77E-5	2.75E-4	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.63E-5	0.00E+0	4.00E-5	-1.64E-3	5.35E-2

PERE=Use of renewable primary energy excluding renewable primary energy resources used as raw materials | **PERM**=Use of renewable primary energy resources used as raw materials | **PERT**=Total use of renewable primary energy resources | **PENRE**=Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | **PENRM**=Use of non-renewable primary energy resources used as raw materials | **PENRT**=Total use of non-renewable primary energy resources | **SM**=Use of secondary material | **RSF**=Use of renewable secondary fuels | **NRSF**=Use of non-renewable secondary fuels | **FW**=Net use of fresh water

OTHER ENVIRONMENTAL INFORMATION DESCRIBING WASTE CATEGORIES

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
HWD	Kg	3.72E-3	3.26E-6	3.12E-5	3.75E-3	1.87E-6	1.88E-5	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.38E-6	0.00E+0	5.60E-8	-5.44E-5	3.72E-3
NHWD	Kg	9.75E-1	1.17E-1	1.14E-2	1.10E+0	6.70E-2	7.30E-3	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.45E-2	0.00E+0	2.54E-1	-4.44E-2	1.42E+0
RWD	Kg	4.19E-4	9.17E-6	3.70E-6	4.32E-4	5.26E-6	2.21E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	3.57E-6	0.00E+0	2.46E-7	2.68E-6	4.46E-4

HWD=Hazardous waste disposed | **NHWD**=Non-hazardous waste disposed | **RWD**=Radioactive waste disposed

ENVIRONMENTAL INFORMATION DESCRIBING OUTPUT FLOWS

Abbr.	Unit	A1	A2	A3	A1- A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
CRU	Kg	4.04E-4	0.00E+0	3.43E-6	4.07E-4	0.00E+0	2.04E-6	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.09E-4
MFR	Kg	4.86E-1	0.00E+0	4.52E-2	5.31E-1	0.00E+0	2.68E-2	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	4.84E+0	0.00E+0	0.00E+0	5.39E+0
MER	Kg	6.06E-7	0.00E+0	5.15E-9	6.11E-7	0.00E+0	3.06E-9	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.14E-7
EE	MJ	6.70E-6	0.00E+0	5.69E-8	6.75E-6	0.00E+0	3.38E-8	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.79E-6

CRU=Components for re-use | **MFR**=Materials for recycling | **MER**=Materials for energy recovery | **EE**=Exported energy | **EET**=Exported Energy, Thermic | **EEE**=Exported Energy, Electric

3 Results

Abbr.	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B6	B7	C1	C2	C3	C4	D	Total
EET	MJ	1.02E-4	0.00E+0	8.65E-7	1.03E-4	0.00E+0	5.13E-7	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	1.03E-4
EEE	MJ	5.97E-5	0.00E+0	5.07E-7	6.02E-5	0.00E+0	3.01E-7	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	0.00E+0	6.05E-5

CRU=Components for re-use | **MFR**=Materials for recycling | **MER**=Materials for energy recovery | **EE**=Exported energy | **EET**=Exported Energy, Thermic | **EEE**=Exported Energy, Electric

3 Results

3.5 INFORMATION ON BIOGENIC CARBON CONTENT PER SQUARE METER

BIOGENIC CARBON CONTENT

The following Information describes the biogenic carbon content in (the main parts of) the product at the factory gate per square meter:

Biogenic carbon content	Amount	Unit
Biogenic carbon content in the product	0	kg C
Biogenic carbon content in accompanying packaging	0	kg C

3 Results

3.6 ENVIRONMENTAL COST INDICATOR NL PER SQUARE METER

Using the environmental cost indicator (ECI) method, which is presented in the NMD Determination Method (2020), the results are aggregated to the single-point score. The ECI is a relevant valuation method, especially in the Dutch construction sector. In the Netherlands, it is a prerequisite for public tenders. The aim of the indicator is to show the shadow price for environmental impacts of a product or project. The application of single-point scores is an additional assessment tool for eco-balance results. However, it must be pointed out that weightings are always based on a value maintenance and not on a scientific basis (EN 14040). The ECI results are shown in the following table.

Module EN15804	ECI NL 2010	Share in total (%)
A1 Raw Materials Supply	€ 1.35	67,5 %
A2 Transport	€ 0.08	4,1 %
A3 Manufacturing	€ 0.15	7,2 %
A4 Transport from the gate to the site	€ 0.20	9,8 %
A5 Construction - Installation process	€ 0.04	2,2 %
B1 Use	€ 0.00	0,0 %
B2 Maintenance	€ 0.00	0,0 %
B3 Repair	€ 0.00	0,0 %
B6 Operational Energy Use	€ 0.00	0,0 %
B7 Operational Water Use	€ 0.00	0,0 %
C1 De-construction / demolition	€ 0.16	8,2 %
C2 Transport	€ 0.14	6,9 %
C3 Waste processing	€ 0.04	1,9 %
C4 Disposal	€ 0.00	0,1 %
D Benefits and loads beyond the product system boundary	€ -0.16	-7,9 %
ECI NL 2010 per functional unit	€ 2.00	

4 Contact information

Publisher	Operator	Owner of declaration
 Geelen Beton Wanssum B.V. Geijsterseweg 12A 5861BL Wanssum, NL E-mail: info@geelen-beton.nl Website: https://www.geelen-beton.nl	Stichting NMD Visseringlaan 22b 2288 ER Rijswijk, NL E-mail: info@milieudatabase.nl Website: www.milieudatabase.nl	 Geelen Beton Wanssum B.V. Geijsterseweg 12A 5861BL Wanssum, NL E-mail: info@geelen-beton.nl Website: https://www.geelen-beton.nl